OBJECTIVES

- To construct a life table for several human populations
- To generate survivorship curves and mortality curves using these data
- To develop and test hypotheses about these populations based on the life table and survivorship and mortality curves

INTRODUCTION

"Population, when unchecked, increases in a geometrical ratio. Subsistence increases only in an arithmetical ratio." – Thomas Malthus, *An Essay on the Principle of Population* 1798

Population size is determined by a number of factors, with a maximum population size determined by the **carrying capacity** of the environment. This does not prevent organisms from "over-reproducing" but a balance between birth rates and death rates controls population growth. Therefore, the control of population growth must necessarily be related to death rates in most natural populations. The study of **mortality**, how organisms die and when they die, is an important aspect of the study of life, and is of considerable interest to population biologists. Of course, this is not easy in natural populations, primarily because dead or dying organisms are not often found and if they are, their age at death and the reason they died are not easily determined.

These difficulties can be addressed by long-term monitoring and censusing of populations. Several populations have been tracked in this manner and have provided useful data to understand the control of population growth by death.

The objective of the collection of mortality data may be to construct a **life table** or to plot **survivorship curves**, both of which may give us a clue as to how population numbers are controlled. Life tables may be of two types: a **horizontal life table**, where a cohort of individuals (all born at a particular time and place) is followed through time with deaths recorded as they occur in each age class, or a **vertical life table**, where all the age classes present at a particular time are followed. Vertical tables calculate age-specific death rates for an entire population on the assumption that there is no change in the environment from year to year (and hence age-specific death rates remain constant) and that no immigration or emigration occurs. The horizontal type is by far the more accurate but has the drawback of being very time consuming when long-lived organisms are being studied. In this exercise, we will demonstrate the construction of a vertical life table in humans.

Purpose

Using data from gravestones in a local cemetery, we will generate life tables and create survivorship and mortality curves for several populations. These life tables and survivorship/mortality curves will enable us to analyze historical factors affecting survivorship of the human population in and around Lewisburg and how these factors change through time. We will attempt to make connections between life table data and historical events/patterns and to look for differences in survivorship between males and females from several time periods.

BIOL 208 - POPULATION AND COMMUNITY BIOLOGY Human Demography Lab

METHODS

For the two combined lab sections for each afternoon we will collect the following data:

- 1. Age at death and sex of at least 400 individuals born in 1840 or before
- 2. Age at death and sex of at least 1000 individuals born between 1860 and 1890 inclusive

Work in pairs to collect data. Divide a piece of paper into two columns on each side. One side is for pre-1840 data and the other is for 1860-1890 data. The columns are for males and females. Select an area of the cemetery that is not likely to be used by another pair, and note the birth and death dates and sex for 60-70 individuals who were born in the periods of interest.

Do not record data from stones for which you are not sure of the individual's sex or age at death. Note that some stones have only age and date of death – you will have to calculate dates of birth for these. Record stones systematically to avoid bias; do not jump around from place to place. In particular, do not overlook small stones, as these are often from young children and their omission would bias the sample.

Upon returning to the lab, you need to determine the number of individuals dying in each age class (age classes are 5-year intervals: 0-5, 6-10, 11-15, ...) for each of the human populations. Calculate these for your own data set and enter these values into the Google Spreadsheet linked from the course website. Your data will be combined with those of your classmates (on each lab day) to provide a complete data set for each population. These data will be entered into an Excel spreadsheet and made available on the course website (under "Labs") for you to access.

Data Analysis

Life Tables:

Prepare life tables separately for males 1860-1890 and females 1860-1890 containing the following columns (you do not need to prepare complete life tables for the pre-1840 populations or the post-1890 populations):

- 1. Age interval (x) (5 year periods: 0-5, 6-10, 11-15, ...)
- 2. Number alive at beginning of age interval (n_x)
- NOTE: n_{0-5} is the total # of individuals in the data set (for each population)
- 3. Number dying during the age interval (d_x)
 - NOTE: d_x for each population is provided in the spreadsheet original Excel
- 4. Proportion of original population surviving to the beginning of the age interval (l_x)
- 5. Proportion of individuals entering an age interval to die during that age interval (q_x)
- 6. Number of individuals alive at the midpoint of each age interval (L_x)
- 7. Total number of person-years still to be lived by population of age $x(T_x)$
- 8. Life expectancy of individuals entering each age interval (e_x)

Calculations for all columns except L_x , T_x , and e_x should be self-explanatory.

BIOL 208 - POPULATION AND COMMUNITY BIOLOGY Human Demography Lab

Calculate L_x for each age class as follows:

$$L_x = \frac{n_x + n_{x+1}}{2}$$
 and for the oldest age class, $L_x = \frac{n_x}{2}$

Calculate Tx for each age class as follows:

$$T_x = \left(\sum_{n=0}^x L_x\right) * 5$$

Or put verbally, T_x is L_x for each age class plus L_x for all "younger" age classes. You multiply by 5 because each age interval is 5 years. If you didn't multiply by 5, T_x would give the number of age classes still to be lived by individuals in x age class, not years.

Calculate e_x, the mean life expectancy for someone of a particular age class, using:

$$e_x = \frac{T_x}{L_x}$$

Or put verbally, e_x is the total number of person-years remaining to be lived (T_x) divided by the number of individuals left to live them (L_x) .

Survivorship and Mortality Curves:

You will be developing your own hypotheses regarding how these populations may differ. You will test your hypotheses using the class data. Your test should include survivorship and/or mortality curves. To plot survivorship and mortality curves, use Microsoft Excel or another acceptable graphing software. To do this, you will need to calculate l_x and q_x for all populations (you already have them from the 1860-1890 life tables). Age class should be on the x-axis with survivorship (l_x) or mortality (q_x) on the y-axis, and you should plot all relevant populations ON THE SAME GRAPH.

LAB WRITE-UP

Your report must include:

A. (30 points) 2 life tables (males born 1860-1890, females born 1860-1890) with descriptive heading (above table) for each.

B. (30 points) Hypothesis testing

1. (5 points) Develop a hypothesis and predictions based on your observations comparing some of these populations. For example, ask which populations might be expected to live longer? Have higher infant mortality? Have any historical events produced a noticeable change in these data?

2. (20 points) Test your hypothesis by plotting the appropriate data in survival and/or mortality curves.

3. (5 points) Was your hypothesis supported? Explain your results.

C. (20 points) Plot the survivorship and mortality curves for males and females from the pre-1840 and 1860-1890 populations. Plot the four survivorship curves together on the same graph and the four mortality curves together on a different graph.

D. (20 points) Answers to the following questions using the analyses above (single-spaced, typed):

1. (5 points) How have survivorship and mortality changed between the two time periods in part C? Describe the patterns for each time period and note any differences.

2. (5 points) Do the survivorship or mortality curves from part C show any irregularities that might be related to historical factors? Which historical factors might have caused the patterns in l_x and q_x in your data? You might need to look closely to see patterns, particularly in middle age classes of mortality curves (hint).

3. (5 points) Do your survivorship curves bear out the established fact that women tend to live longer than men? At what age do women seem to have greatest survival advantage?

4. (5 points) What are possible sources of error in our data, and how would these affect our results

Microsoft Excel Instructions

	А		E	3		С		
		•	Pre-1	.840	P	re-1840		
1	Age Class	S	Fem	ale		Male		
2	0-5		C)		1		
3	6-10		C)		0		
4	11-15		(1)	8		1	4	
5	16-20		1			1		
6	21-25		4	-		1		
7	26-30		2	-		3		
8	31-35		1			5	8	
9	36-40		8	}		5		
10	41-45		(*)	5		8	10	
11	46-50		6	;		5	1	
12	51-55		8			11		
13	56-60	56-60		13		12	13	
14	61-65		18			14	14	
15	66-70		1.	5		29	1!	
16	71-75		34	4		36	16	
17	76-80		2.	5		26	17	
18	81-85		3	1		22	18	
19	86-90		14	4		8		
20	91-95		5)		5		
21	96+		1		0		2	
=sum(B2:B21) $=$ sum(C2:C21) 22								
2.	2. Set up life table.							
A B				C		D		
т	rige clubs		u.			14	1 1	

	A	В	С
		Pre-1840	Pre-1840
1	Age class	Female	Male
2	0-5	0	1
3	6-10	0	0
4	11-15	3	1
5	16-20	1	1
6	21-25	4	1
7	26-30	2	3
8	31-35	1	5
9	36-40	8	5
10	41-45	3	8
11	46-50	6	5
12	51-55	8	11
13	56-60	13	12
14	61-65	18	14
15	66-70	15	29
16	71-75	34	36
17	76-80	25	26
18	81-85	31	22
19	86-90	14	8
20	91-95	5	5
21	96+	1	0
22	sum	192	193

1. Enter data (example from previous year's lab) and add up all individuals in each population.

	A	В	С	D	E	F	G	Н
1	Age Class	dx	nx	lx	qx	Lx	Tx	ex
2	0-5	0						
3	6-10	0						
4	11-15	3						
5	16-20	1						
6	21-25	4						
7	26-30	2						
8	31-35	1						
9	36-40	8						
10	41-45	3						
11	46-50	6						
12	51-55	8						
13	56-60	13						
14	61-65	18						
15	66-70	15						
16	71-75	34						
17	76-80	25						
18	81-85	31						
19	86-90	14						
20	91-95	5						
21	96+	1						

BIOL 208 - POPULATION AND COMMUNITY BIOLOGY Human Demography Lab

3. Fill in equations.

	Α	В	С	D	Е	F	G	Н
1	Age class	dx	n _x	l_x	q_x	L _x	T _x	e _x
2	0-5	0	=sum(B2:B21)	=C2/\$C\$2	=B2/C2	=(C2+C3)/2	=sum(F2:F21)*5	=G2/F2
3	6-10	0	=C2-B2	=C3/\$C\$2	=B3/C3	=(C3+C4)/2	=sum(F3:F21)*5	=G3/F3
21	96+	1	=C20-B20	=C21/\$C\$2	=B21/C21	=(C21+C22)/2	=sum(F21:F21)*5	=G21/F21

4. Making graphs using Excel

Ex. Survivorship curves:

Chart Wizard: Line graph

Data: it's easier to set the data up away from the life table as follows:



NOTE: EXCEL DEFAULTS LOOK BAD – CHANGE SETTINGS FOR YOUR GRAPHS Changes:

Plot area – no fill, no border, enlarge to fill the area (legend defaults to right using valuable space; enlarging the plot area will require you move legend as appropriate)

Axes - make scales appropriate and align so labels can be seen

Gridlines – remove

Line and symbol colors - black and white, not different colors

Symbols – use different symbols (shapes, not different colors, remove any "shadow" effects) Font size as appropriate

Data table: pre-1840

Ma	ales	Females			
Birth year	Death year	Birth year	Death year		
•					

Data table: 1860-1890

Ma	ales	Females			
Birth year	Death year	Birth year	Death year		
•					